

Bardac

DC drives in Stock!



PL/X980
Up to 1940 HP


PL/X265
Up to 400 HP

PL/X145
Up to 200 HP

PL/X50
Up to 75 HP

PL/X440
Up to 900 HP

Bardac DC Drives are...
... a complete range of regenerative and non-regenerative DC drives, with wide ranging current and voltage ratings
... available with fuses and contactors built in
... rated to 2000HP+



... *drive.web* Ethernet and USB connected

... available for same day shipment

[Click here, to learn more and purchase!](#)

Your **Bardac** and *drive.web* favorites, now online:



DC Drives

- Complete range of regenerative and non-regenerative DC drives, single and three phase input, with wide ranging current and voltage ratings.
- Available with fuses and contactors built in
- Up to 2000HP available for same day shipment
- *drive.web* peer-to-peer Ethernet connectivity for real time communication between drives
- IN STOCK!

AC Vector Drives

- P2 Series AC drives ship standard with conformal coating
- Safe Torque Off
- IP20, NEMA 12, and NEMA 4X
- 230, 460, and 575VAC models
- Ratings through 400HP
- Solar version available with MPPT tracking
- Bright TFT display
- [drive.web](#) peer-to-peer Ethernet connectivity for real time communication between drives
- Please consult Bardac for availability



AC Sensorless Vector Drives

- E3 Series drives are available in an outdoor rated NEMA 4X package through 30HP
- IP20 ratings through 50HP
- Single Phase in and Single Phase out
- 115, 230, and 460VAC models
- Reverse PID for solar applications
- [drive.web](#) peer-to-peer Ethernet connectivity for real time communication between drives
- IN STOCK!




drive.web Automation Controllers with I/O

- High resolution analog I/O
- Ample digital I/O
- Frequency inputs (100kHz)
- Encoder inputs (500kHz)
- Pulse outputs (1MHz)
- Multiple motion control functions built into a DIN rail mounted package
- **IN STOCK!**

smarty³



smarty⁴



drive.web Touch Screen Operator Stations

- Plug and play, drive.web native
- NEMA 4 (IP65) splash-proof front
- IP20 rear
- Easy set up, competitively priced
- Crisp, high visibility graphics
- 1 Ethernet port 10/100baseTX
- Power supply 24VDC
- Working temp: -4 to 158F
- 5, 7, and 9.7" touch screens available
- **IN STOCK!**

Catalog items are typically *IN STOCK* and ready to ship same day (for orders placed before 4pm EST)!

Please call to confirm availability.



Please click the icon above to download *savvyPanel* for desktop or below for the iOS/Android appstores (respectively)

[iOS](#)

[Android](#)

Need help with a project, click here!

bardac.com | driveweb.com

AutomationThings.com

(410) 604-3400 | 1 (888) 667-7333

